






We provide superior
performing compressed air



EXPERIENCE AND SKILLSET



Superior Reliability & Longevity

•


• IV

• 100%

Energy & Cost Savings

•

•



•

•

•

•

•

•

•

•

•

•

•

•

•


•

•

•


•



•



Superior Performance

- Superior strength and impact resistance
- Superior resistance to corrosion
- Superior resistance to UV radiation





ALUMINUM JOINT
MALE T-THREAD

AIRpipe	BSP	DN	Size
302 17 0100 02		20	1/2"
302 17 0101 02		20	3/4"
302 17 0200 02		25	1/2"
302 17 0201 02		25	3/4"
302 17 0202 02		25	1"
302 17 0402 02		40	1"
302 17 0403 02		40	1 1/4"
302 17 0404 02		40	1 1/2"
302 17 0405 01		40	2"
302 17 0504 02		50	1 1/2"
302 17 0505 02		50	2"

*Union connector included

ALUMINUM ELBOW

AIRpipe	BSP	DN	Size
302 15 0100 01		20	1/2"
302 15 0101 01		20	3/4"
302 15 0200 01		25	1/2"
302 15 0202 01		25	1"
302 15 0404 01		40	1 1/4"
302 15 0505 01		50	2"

*Union connector included

ALUMINUM BOW
FEMALE

AIRpipe	BSP	DN	Size
302 13 0100 01		20	1/2"

VALVED WALL BRACKET

AIRpipe	DN	BSP	Size
302 52 0102 03	20	1 PORT 1/2"	
302 52 0202 03	25	1 PORT 1"	
302 52 0204 03	25	1 PORT 1/2"	
302 52 0404 03	40	1 PORT 1 1/4"	
302 52 0505 03	50	1 PORT 2"	
302 52 0606 01	63	1 PORT 2 1/2"	

*Union connector included

AIRpipe	DN	BSP	Size
302 52 0101 03	20	2 PORTS 1/2"	

SWING CHECK
VALVE

AIRpipe	DN	Type
302 80 0400 02	40	Cast Iron
302 80 0500 02	50	Cast Iron

*Union connectors included

302 80 0600 01	63	Cast Iron
302 80 0700 01	80	Cast Iron
302 80 0800 01	100	Cast Iron
302 80 1000 01	150	Cast Iron
302 80 1100 01	200	Cast Iron

*Use two union connectors

All flanges contain bolts
and flange gasket

AIRpipe	BSP	DN	Size
302 70 0600 01		63	65
302 70 0700 01		80	80
302 70 0800 01		100	100
302 70 1000 01		150	150
302 70 1100 01		200	200

Straight connection, Rubber

AIRpipe	DN	Length (MM)
302 55 0100 04	20	570
302 55 0200 04	25	570
302 55 0400 04	40	800
302 55 0500 04	50	600

*Unions connectors included

30° Angle connection, Rubber

QUICK DROP

QUICK CONNECT
BALL VALVE

VALVED WALL
BRACKETS

REDUCER FLANGE

FLANGE (CAST IRON)
FEMALE T-THREAD

PNEUMATIC CONNECTION BALL

WATER DRAIN VALVE

FIXTURE, CLAMP & ACCESSORIES

Clamps, Plastic

AIRpipe	DN
BSP	
302 22 0100 01	20
302 22 0200 01	25
302 22 0400 01	40
302 22 0500 01	50
302 22 0600 01	83
302 22 0700 01	80
302 22 0800 01	100

Aluminum, Male Thread *Male Thread

AIRpipe		
BSP		
301 31 0000 01	1/2"	1/2"
301 31 0100 01	3/4"	3/4"
301 31 0200 01	1"	1"
301 31 0400 01	1 1/2"	1 1/2"
301 31 0500 01	2"	2"

Aluminum, Male Thread *Female Thread

AIRpipe

AIRPIPE ANALYSIS BAG

AIRpipe

BSP	Length (MM)
301 85 0001 01	200
301 85 0002 01	300
301 85 0003 01	400

* 4 1/2" aside outlet

SAMPLE BOX

AIRpipe

302 46 0001 01	200x270x190mm
----------------	---------------

ALUMINUM PIPE DEBURRER

AIRpipe

301 35 0003 01	20-50
----------------	-------

SPANNERS

AIRpipe

301 35 0007 01

ALUMINUM PIPE CUTTER

ADJUSTABLE BRACKET

Complete With Wall
Expansion Bolts

AIRpipe

Length (MM)	to suit
301 32 0004 01	Threaded
301 32 0005 01	Flange

WALL MOUNTED BACKET

Complete With Wall
Expansion Bolts

AIRpipe

ARPIPE	Length (MM)
301 32 0000 01	300
301 32 0001 01	500
301 32 0002 01	1200
301 32 0006 01	Suit to DN150/ DN200 pipe


UNIVERSAL BEAM SUSPENDER

VORTEX FL METER

Superior Reliability!




Insertion Depth For DN20-DN50 Connection



Installation Guide for DN20-DN50


01



02



04




03



06






Deburr & Clean The Outer and Inner Edges Before Installation



Installation Guide for DN63-DN200



Hand held hydraulic tools require logging in during operations



we are at your **SERVICE**

